

DUAL



interactive board
infrared technology



whiteboard
ceramic steel surface

Interactive whiteboards are common features in classrooms, training spaces and in Office environments. They are an essential tool to communicate and stay connected.

The Bi-Bright eRed 3 board is touch-sensitive and recognizes the presence of a pen, finger or wand on the board surface.

The ceramic steel surface is hard, resistant and durable, built for intensive daily use as a regular whiteboard.

Technology


- Touch System
- LED Technology
- Low power consumption
- High accuracy
- Fast writing speed
- Wi-fi ready

Surface

- Porcelain, enamel-on-steel
- Highly scratch-resistant
- Dry-wipe
- Very easy to clean and maintain
- Low glare
- Electronics free

Warranty

- Surface: 25 years
- Electronics: 5 years




Bi-Bright® eRed 3



Durable and resistant


Large sturdy aluminum frame
and full length tray



Bi-Bright®

interactive whiteboard

Technical Characteristics



Model	56"	78"	88"	96"
Dimensions	1300 x 996 x 32mm	1793 x 1326 x 32mm	1957 x 1490 x 32mm	2285 x 1326 x 32mm
Aspect Ratio	4:3			16:9
Resolution	4096x4096			
Response Time	First Touch: 25ms Continuous: 8ms			
Speed	3 m/s (120 in/s)			
Accuracy	2mm			
Power Consumption	< 0.5W			
Connection	USB; [Wireless 2,4 GHz Option]			
Operating System	Windows XP/Vista/7			
Software	Compatible with any software installed in computer Interactive Whiteboard writing and annotating software bundled according to customer needs			
Included Accessories	Pen tray, USB cable (Type A-Type A), Wall-mounting kit, IWB User Manual, CD (Software & Documents)			